1

	Arizona	Land District.	
OF T	FIELD NO		
San X	avier Extension Coppe	er Company	
	KNOWN AS T	не	
CRESTA BLANCA, REI	D OXIDE NO 2, and RED	OXIDE NO 3 lodes	
		Mining Arizona	District,
ection3	, Township 17 S	, Range 12 E.	
Surveyed under inst	tructions dated December 1	W. S. Mineral	2 Surveyor.
Claim located	See location :	notices , 19	
Survey commo	enced January 5	, 19 21	
Survey comple	eted January 8	, <i>19</i> 21	
	Attus.	oell & Connor, Tucson,	Arizona.

DATES OF AMENDED LOCATIONS.

6-822

Feet

#### CRESTA BLANCA Lode.

Beginning at Cor. No. 1, identical with Loc. Mon. and Cor. No. 4, Red Oxide No. 3 lode of this Sur.

An iron pipe 1 in. diam. with brass cap 2 ins. sq. on top, 18 ins. above ground, set 18 ins. in the ground, stamped with Cross (X) 1 CB - 4 R O No.3 - 3730, with md of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside; whence the 1/4 Cor. bet. Secs 2 and 3, T. 17 S.R. 12 E., brs. N. 62°51' E., 1300.0 ft.

· No other bearings are available.

Thence S 5°30' W. Va. 13°30' E.

300

To E. end Center, identical with W. end Center Red Oxide No. 3 lode of this Sur.

An iron pipe 2 ins. diam. by 4 ft. high set firmly in the ground and surrounded with md. of stone  $3\frac{1}{2}$  ft base by 3 ft high, stamped E Cr. C B and W.Cr.R O No.3. To Cor. No.2, identical with Cor. Nos. 3 and 3 Red Oxide No.3 and Red Oxide No.2 lodes of this Sur.

600

An iron pipe 1 in. diam with brass cap 2 ins.sq. on top, 18 ins. above ground, set 18 ins. in the ground, stamped with a cross (X) 2 C B, 3 R O No.3, and 3 R O No.2 - 3730, with md. of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside.

No bearings are available.

Thence S 81° W Va. 13°30' E.

650

To Cor. No.4, Red Oxide No. 2 lode of this Sur. hereinafter described.

800

To Cor. No. 3.

An iron pipe 1 in. diam. with brass cap 2 ins.sq. on top, 18 ins. above ground, set 18 ins. in ground, stamped with Cross (X) 3-C B - 3730, with md of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside.

Feet

## MINERAL SURVEY NO. 3730 CRESTA BLANCA Lode Cont'd

No bearings are available.

Thence N 5 30' E Va, 13 30' E.

300 To W. end Center,

An iron pipe 2 in.s. diam by 4 ft. high, set firmly in the ground and surrounded with a md. of stone  $3\frac{1}{2}$  ft. base by 3 ft. high, stamped W.Cr. C B.

600 To Cor. No. 4.

An iron pipe 1 in. diam. with brass cap 2 ins.sq on top, 18 ins. above ground, set 18 ins. in the ground, stamped with cross (X) 4 C B -3730, with md. of stone  $5\frac{1}{6}$  ft base by 3 ft high along side.

No bearings are available.

Thence N. 81° E. Va. 13° 30' E.

800 To Cor. No. 1, the place of beginning.

#### RED OXIDE NO. 2 Lode.

Beginning at Cor. No. 1, identical with Loc.Mon. and Cor. No.1, Sur. No. 1758 Wedge lode, claimant herein.

A limestone rock 8X10 ins. showing 12 ins. above ground, chiseled with cross (X) 1 R 0 No.2 3730 and 1-W-1758, with a md of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside; whence the Cor. to Secs. 2, 3 10 and 11, T. 17 S.R.12 E., brs S 24° 26'E. 1093.6 ft.

Cor. Nos. 2 and 5, Sur. No.416 Arizona Queen and .Sur. No. 412 W. Extension San Xavier lodes, Claimant unknown, brs N. 81° 26'W. 31.9 ft.

No other bearings are available.

Thence N. 5°30' E Va. 13°30' E.

Intersect line 5-6, Sur. No. 412, West Extension San

Xavier lode, at N 81°26' E. 32.84 ft from Cor. No.5

9.69

Feet

380.22

MINERAL SURVEY NO. 3730
RED OXIDE NO. 2. Lode Cont'd

and S 81° 26' W. 1470.25 ft from Cor. No.6.

300 To E. end Center.

An iron pipe 2 ins. diam. by 4 ft high, set firmly in the ground and surrounded with md. of stone  $3\frac{1}{2}$  ft. base by 3 ft high, stamped E.Cr. R O No.2. To Cor. No. 2, identical with Cor. No. 2, Sur. No.1758 Wedge lode, and on line 2-3 Red Oxide No.3 lode of this Sur.

A limestone rock 8 X 10 ins. showing 10 ins.above ground, chiseled with Cross (X) 2 R 0 No.2 - 3730, and 2 W 1758, with md of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside.

A limestone ledge 25 ft.long, by 8 ft.high, brs S 82°55' W. 61.4 ft; chiseled with Cross (X) 2-1758 and 2-3730 B R.

A limestone boulder 10 ft long by 5 ft wide brs N.15° W 18.5 ft; chiseled with Cross (X) 2-1758, 2-3730 B R.

No other bearings are available.

Thence N. 84° 30' W. Va. 13° 30' E.

800.00 To Cor. No. 3, identical with Cor. Nos. 2 and 3, Cresta Blanca and Red Oxide No.3 lodes respectively of this Sur. heretofore described.

Thence S 81 W Va. 13°30' E.

650 To Cor. No.4.

An iron pipe 1 in. diam. with brass cap 2 ins. sq. on top, 18 ins. above ground, set 18 ins. in the ground, stamped with Cross (X) 4 R O No.2 - 3730, with md. of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside.

No bearings are available.

Thence S 5° 30' W Va. 13° 30' E.

Feet

#### RED OXIDE NO. 2 Lode Cont'd

266.9

Intersect line 2-3, Sur. No. 414, Arizona King lode, at S 81° W 327.52 ft from Cor. No.2 and N. 81° E.1172.48 ft from Cor. No.3.

300

To W. end Center.

An iron pipe 2 ins. diam. by 4 ft high, set firmly in the ground and surrounded with a md of stone  $3\frac{1}{2}$  ft base by 3 ft high, stamped W.Cr. R O No.2. To Cor. No. 5.

600

An iron pipe 1 in. diam with brass cap 2 ins. sq. on top, 18 ins. above ground, set 18 ins. in the ground; stamped with Cross (X) 5 R O No.2 - 3750, with md of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside.

U.S.M.M.No.2 brs S 57° 52'E. 755.0 ft.

Cor. No.3 Sur.No.416 Arizona Queen lode brs. N 77° 52' E. 411.53 ft.

No other bearings are available.

Thence N. 80° 31' E. Va. 13° 30' E.

410.93

Intersect lines 3-4 and \$-6, Sur. No.416 Arizona Queen
Sur. No.414
and Arizona King lodes respectively, at S \$\mathbb{G}\$ E.19.03 ft
from Cor. Nos. 3, \$\mathbb{B}\$, and N. 9° W. 280.97 ft from Cor. Nos
4-6. Gor. No. 2, Sur. No.414 Arizona King lode brs. N. 9° W. 300 ft. from
Cor. No. 1 thereot.
Intersect lines 2-6 and 3-5 Sur. No.416, Arizona
Queen, and Sur. No.412 West Extension San Xavier lodes
respectively, at \$9° E. 9.88 ft. from Cor. Nos 2-5
and N. 9° E 590.12 ft. from Cor. Nos. 3-6. Cor. No. 3 said
Arizona Queen lode brs. 501° of W. 1038 24 ft. from Cor. No.2 thereof.
To Cor. No.1, the place of beginning.

1449.19

1479.6

#### RED OXIDE No.3 Lode

Beginning at Cor. No.1, identical with Loc.Mon. and Cor. Nos. 3 and 2, Sur. No. 1573, Vulcan No.1 and Vulcan No.2 lodes respectively, Claimant unknown, also Cor. No.2, Sur. No.1758. Red Oxide lode, Claimant herein;

Feet

#### RED OXIDE NO. 3 Lode Cont'd

A limestone rock 8X10 ins. showing 12 ins.above ground, chiseled with Cross (X) 1 R 0 No.3-3730,3 V No.1-2 V No.2 1573, and 2 R O 1758, with md of stone  $3\frac{1}{2}$  ft base by 3 ft high alongside; whence the 1/4 Cor. bet. Secs 2 and 3, T. 17 S R 12 E. brs N. 0° 59' E. 703.6 ft. No other bearings are available.

Thence S 5°30' W Va. 13°30' E.

To E. end Center, identical with W. end Center, Sur. No.1758, Red Oxide lode. An iron pipe 2 ins. diam. by 4 ft high, set firmly in the ground and surrounded with md of stone 31 ft base by 3 ft high, Stamped E.Cr.R O No.3.

Identical with Cor, No. 1 Sur. No. 1758 To Cor. No.2. Red Oxide lode.

A limestone rock 8X10 ins. showing 12 ins. above ground, chiseled with cross (X) 2 R O No.3-3730, and 1 R 0 - 1758, with md of stone  $3\frac{1}{2}$  ft. base by 3 ft. high alongside.

No bearings are available.

Thence N 84° 30' W Va. 13° 30' E.

To Cor. No. 2, Sur. No. 1758 Wedge lode, and Cor. No. 2 Red Oxide No.2 lode of this Sur. heretofore described. 1150 To Cor. No. 3, identical with Cor. Nos. 2 and 3, Cresta Blanca and Red Oxide No.2 lodes respectively, of this Sur. heretofore described.

Thence N. 5° 30' E Va. 13° 50' E.

To W. end Center, identical with E. end Center, Cresta Blanca lode of this Sur. heretofore described.

To Cor. No.4, identical with Cor. No.1, Cresta Blanca 600 lode of this Sur. heretofore described.

300

600

350

300

Feet

#### RED OXIDE NO. 3 Lode Cont'd.

Thence S 84°30' E Va. 13°30' E.

580

To Cor. No. 2, Sur. No. 1573, Vulcan No. 1 lode.

1150

To Cor. No.1, the place of beginning.

### LODE LINES.

As near as can be determined from the present developments the veins of the several locations embraced in this claim extend as follows from their respective discovery points;

Cresta Blanca Lode N 81° E 50 ft and S 81° W 750 ft.'

Red Oxide No.2 lode S 80° 51'W. 1454.6 ft and N.80° 31' E.

Red Oxide No.3 lode S 84° 30' E. 500 ft and N 84° 30' W. 850 ft.

#### AREA Acres

Total area Cresta Blanca lode - - - - - 10.668

Total area Red Oxide No.2 lode - - - - - 17.576

Area in conflict with

Sur. No.414 Arizona King lode - 2.717

Sur. No.416 Arizona Queen lode- 0.345

Sur. No.412 WExtension San
Xavier lode - - - - - 0.007

Total area Red Oxide No.3 lode - - - - - 15.840 V

The Survey of each lode of this location is identical with the original location; all corners of which were found in place.

#### LOCATION.

This Survey is located in the  $SE_{\frac{1}{2}}^{\frac{1}{2}}$  of Sec. 3 T. 17, S.R. 12 E.

### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements made upon, or for the benefit of, each of the locations embraced in said mining claim by the claimant or its grantors, is not less than Five Hundred Dollars, and that said improvements consist of;

#### CRESTA BLANCA Lode

No.1. The discovery point on the center line 50 ft from the center of line 1-2; A monument of stone  $3\frac{1}{2}$  ft base by 3 ft high.

No. value.

No. 2 A shaft, the center of which brs. from Cor. No.1, S. 16° W. 200 ft. 4X6 ft 10 ft. deep.

. Value \$100.00

An undivided 1/6th interest in main shaft, Sur. No. 1758 Red Oxide lode, hereinafter described, credited to this lode,

Value \$3500.00

### RED OXIDE No.2 Lode

No.1. The discovery shaft, the center of which being the discovery point, is on the lode line 25 ft from a point on line 1-2, 300 ft from Cor. No.1 4X6 ft 10 ft deep.

Value \$100.00

No. 2. A shaft on line 1-2, 280 ft from Cor No.1, 4X6 ft, 8 ft deep.

Value \$80.00

No.3. A shaft on line 1-2, 250 ft from Cor. No.1, 4X6 ft 8 ft deep.

Value \$80.00

# EXPENDITURE OF FIVE HUNDRED DOLLARS Cont'd RED OXIDE NO. 2 Lode Cont'd.

No.4. A cut, the mouth of which brs. from Cor. No.1, N 70° 30' W. 340 ft, 4 ft wide, 8 ft face, running S. 25 ft to face; from face is a tunnel 4X6 ft running S 20 ft to face.

Value Cut and Tunnel \$400.00

No.5. A cut, the mouth of which brs. from Cor.

No, 1, N 75° W. 360 ft, 4 ft. wide, 8 ft. face, running

S. 20 ft. to face.

Value \$150.00

No.6. A shaft, the center of which brs. from Cor. No.1, N. 87° W., 290 ft, 4X6 ft, 10 ft deep.

Value \$100.00

No. 7. A shaft, the center of which brs. from Cor. No. 1, S 84° W, 300 ft, 4X6 ft, 15 ft deep.

Value \$150.00

An undivided 1/6 interest in main shaft, Sur. No. 1758, Red Oxide lode hereinafter described, credited to this lode.

Value \$3500.00

#### RED OXIDE No.3 Lode.

No.1. The discovery point on the center line 300 ft from the center of line 1-2; a monument of stone 3 ft base by 2 ft high.

No value.

No.2 A shaft the center of which brs from Cor. No.2, N 36 W 250 ft, 4X6 ft, 10 ft deep.

Value \$100.00

No.3. A shaft, the center of which brs from Cor. No.2, N 41° 30' W. 230 ft, 4X6 ft, 10 ft deep.

Value \$100.00

EXPENDITURE OF FIVE HUNDRED DOLLARS Cont'd RED OXIDE NO. 3 Lode Cont'd.

No.4. A shaft, the center of which brs from Cor. No.2, N 69°15' W. 240 ft, 4X6 ft, 8 ft deep.

Value \$80.00

No.5. A shaft the center of which brs from Cor No.2, N 72° 30' W. 250 ft, 4X6 ft, 8 ft deep.

Value \$80.00

No.6. A cut, the mouth of which brs from Cor. No.2 N.  $42^{\circ}$  W.21.5 ft.  $4\frac{1}{2}$  ft wide, 5 ft face, running North 18 ft.

Value \$100.00

The main working shaft (timbered) Sur. No.1758

Red Cxide No.3 | cde, this survey

Red Oxide lode, brs from Cor. No.2, N 89° 30' E, 610 ft

6X8 ft, 500 ft deep, together with 1120 ft of drift.

Total Value \$21,000.00

An undivided 1/6 interest is assigned to this claim.

At the 200 ft level is a drift 4X6 ft running N. 64° W. 60 ft, thence N 58° W. 120 ft to face. At the 312 ft level is a drift 4X6 ft running S 16° E 20 ft to Sta.1, thence S 40° 30' E. 50 ft to face.

From Sta.l is a drift 4X6 ft running N  $69^{\circ}$  W.280 ft to face.

At the 400 ft level is a drift 4X6 ft running N.26 30' W 50 ft to Sta.1, thence N 26 30' W.10 ft to face.

From Sta. 1 is a drift 4X6 ft running S 38 W.100 ft to face.

From Sta. 1 is another drift 4X6 ft running N. 27°E. 20 ft to face.

At the 500 ft level is a drift 4X6 ft, running N. 28°W, 10 ft to Sta. 1; thence N 66°30' E. 20 ft to Sta. 3; thence S 50° 30' E. 120 ft to face.

MINERAL SURVEY NO. 3730

EXPENDITURE OF FIVE HUNDRED DOLLARS Cont'd

Red Oxide No. 3 Lode, Cont'd.

From Sta. 1 is a drift 4X6 ft, running S 46°W 20 ft to Sta 4; thence S 10°30' E. 60 ft to Sta 5; thence West 180 ft to face.

This shaft is a practicable and feasible main working shaft for the group, as by drifting and cross-cutting therefrom in different directions towards and under the several claims of the group, the entire group may be advantageously developed and ore extracted therefrom, as all the discoveries are from 500 to 700 ft above the present bottom of this shaft. This improvement is therefore a common improvement for the benefit of the two claims of Sur. No. 1758, consisting of the Red Oxide and Wedge lodes; of the three claims of this Survey consisting of the Cresta Blanca, Red Oxide No.2 and Red Oxide No.3 lodes; also Sur. No. 3734 consisting of the Red Oxide No.4 lode, all belonging to Claimant herein.

An undivided 1/6th interest in this improvement, Value \$3500. has been credited to each of the six above mentioned lodes.

#### INSTRUMENT.

This Survey was made with a Gurley Mountain transit. The courses were deflected from the true Meridian, as determined by direct Solar Observations. The distances were measured with a 500 ft steel tape.

#### REPORT.

The lode line of each location of this claim was run directly upon the ground and the corners were established by running around the claims.

All tie lines were run directly upon the ground.

#### REPORT Cont'd.

The 1/4 Cor. bet. Secs. 2-3, consists of a limestone rock 6X8 ins. showing 10 ins. above ground chiseled with 1/4 on W face (originally) a post in md. of stone.

The Cor. to Secs. 2, 3, 10 and 11 consists of a pine post 4 ins. sq. by  $2\frac{1}{2}$  ft. high, set in md. of stone, Scribed 2-3-10-11 T 17 S R 12 E.

U. S. M. M. No.2 consists of a pine post 8 ins. diam. by 8 ft high, set in md of stone, 4 ft base by 4 ft high; scribed U.S. M. No. 2 Pima D.

Sur. No. 414, Arizona King lode; All corners consist of pine posts properly set, but most of the scribing thereon cannot be read on account of age of the monuments. I find all courses and distances to be correct as approved.

Sur. No. 416, Arizona Queen lode; All corners consist of pine posts properly set, but on account of the decayed condition of the corner numbers cannot be distinguished.

Line 2-3 fails to furnish the course and distance as approved (S 81° W. 1050 ft) and same is properly given in these field notes.

Sur. No. 412 W. Ext. San Xavier lode: Cor.No. 6

J assume to be identical with Cor. No. 5, Sur. No.

1758 Wedge lode, which consists of a limestone rock
properly set and chiseled 5-1758. No other markings
appear on stone. Near this corner are two pine posts
4 ins. sq. both scribed N W Cor. SX and N E Cor. W Ext.

S X, apparently of the same age and set at a more
recent date than when the survey was made.

Line 5-6 fails to furnish the course and distance as approved (S 81°W 1500 ft) and same is properly given in these field notes.

# MINERAL SURVEY NO. 3730 REPORT Cont'd.

Sur. No. 1758 Red Gxide lode, Cor. Nos. 1 and 2 Consist. of limestone rock properly and chiseled with the number of the corner and the survey. I find course and distance to be correct as approved.

Cor. Nos 1 and 2 Wedge lode; Both consist of limestone rocks properly set and chiseled with the number of the corner and the Sur. I do not agree with the tie line of this survey, nor with the length of line 1-2.

Sur. No. 1573, Vulcan No.1 lode: Cor. Nos.2

and 3 both consist of limestone rocks properly set and chiseled with the number of the corner and the Survey.

I find the course and distance to be correct as approved.

As there was no Notary Public within a long distance, a great delay, expense and inconvenience would result from strict compliance with the rule, I therefore proceeded to administer the necessary oath.

### ADJOINING CLAIMS

This Survey is adjoined on the north by Empire No.2, Valley lode and Vulcan No.7 lodes, unsurveyed, claimants unknown.

Sur. No. 1573, Vulcan No.1 lode, claimant unknown.

On the east by Sur. No. 1758 Red Oxide and Wedge lodes, Claimant herein.

On the South by Sur. No. 412 W. Ext. San

Xavier lode, Sur. No. 416, Arizona Queen lode and Sur.

No.414, Arizona King lode, Claimants unknown.

On the West by Sur. No. 414 Arizona King lode and Empire No.2 lode, Claimant unknown.

## FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

A list of the names of the individuals employed byT.N. Stevens
United States Mineral Surveyor, to assist in running, measuring, and marking the lines, corners, and
boundaries described in the foregoing field notes of the survey of the mining claim of
San Xavier Extension Copper Company
known as theCRESTA BLANCA, RED OXIDE NO 2, and RED OXIDE NO 3 lodes
and showing the respective capacities in which they acted.
Roberto Zazueta , Chainman.
, Chainman.
, Chainman, , Chainman, , Axman,
, Flagman.
FINAL OATHS OF ASSISTANTS.
and-
and, do solemnly swear that we assisted.
T.N. Stevens , United States Mineral Surveyor, in marking the corners and surveying
the boundaries of the mining claim of San Xavier Extension Copper Company
known as the CRESTA BLANCA, RED OXIDE NO 2, and RED OXIDE NO 3 lodes
represented in the foregoing field notes as having been surveyed by said mineral surveyor and under his
direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully
and correctly executed, and the corner and boundary monuments established according to law and the instruc-
tions furnished by the United States Surveyor-General forArizona
Roberto Zazueta, Chainman.
O 8, Chainman,
Awman.
, Flagman,
Subscribed and sworn to by the above-named persons before me this.
day of Hamean
day of Hannay, 192/
1/chi
Med. Maneral Cherryer.

## FINAL OATH OF U.S. MINERAL SURVEYOR.

T. N. DIEVEND	, U. S. Mineral Surveyor
do solemnly swear that, in pursuance of ins	structions received from the United State
Surveyor General for	rizona date
	have, in strict conformity to the laws of the
United States, the official regulations and ins	structions thereunder, and the instruction
of said Surveyor General, faithfully and corr	rectly executed the survey of the Mining
Claim of San Navier Extension	n Copper Company
	, known as the
CRESTA BLANCA, RED OXIDE NO.2 and	d RED OXIDE NO 3.lodes
situate in Pima	
Pima Cou	inty, Arizona in Section
	No. 12 E.
and designated as Survey No. 3730	as represented
in the foregoing field notes, which accurately	show the boundaries of said mining claim
as distinctly marked by monuments on the gr	ound, and described in the attached copy
of the location certificate, which was received	by me from the Surveyor General with
said instructions, and that all the corners of sa	aid survey have been established and now
petuated in strict accordance with the law, o	official regulations and instructions the
under; and I do further solemnly swear that	the foregoing are the town 1
field notes of said survey and my report the	orein and that it is and original
field notes of said survey and my report the	erein, and that the labor expended and
mprovements made upon said mining claim b	by claimant or grantors
are as therein fully stated, and that the characteristics	acter, extent, location, and itemized value
thereof are specified therein with particularity	and full detail, and that no portion of
said labor or improvements so credited to this	claim has been included in the estimate
of expenditures upon any other claim.	
	1119
<u> </u>	1. N. Eleino.
	U. S. Mineral Surveyor.
Sub-ull 1 1	
Subscribed and sworn to by the said	
U. S. Mineral Surveyor, before me Isa	
in and for Pima County, Arizon	this 11th
day of March , 19 21.	
My Commission expires June 4 192	4 00 50 7
	will Moderate
6—1044	Notary Public Pima County Arizona.

#### SOLAR OBSERVATIONS.

Direct Solar Observations taken Friday Jan. 7. 1921. at 9.06 AM, Solar time.

Sun Bisected.

Lat 31 58'

Lon. 111° 05'.

Difference in time 2 h 42 m.

22° 24' 20.3" Apparent Declination 51.6 22°23' 28.7 MDec'l = 112°23' 28.7" /

 $\sqrt{\frac{\text{Sin (S-L)(S-H)}}{\text{Cos L Cos H}}}$ Sin 1/2 A =

L = 31° 58' H = 21° 18' 112° 23' 2)165 39' 82° 49' 30"

S-L = 50° 51' 30" / S-H = 61° 31' 30" /

9.8896308 / 9.9440013 0.0714217/ 0.0307280 2)19.9357818 9.9678909 = 68° 14' 10 7 4 A

136° 28 - A

180° S 28' E Course of Sun.
40° 58' Ang. to left from sun.
S 84° 30' E. Course of line.

Set up at Cor. No.3 R O No.3 - F S Cor. No. 2.

### U. S. SURVEYOR-GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

## Department of the Interior,

OFFICE OF U. S. SURVEYOR-GENERAL,

Anril 30 , 1921
I, U. S. Surveyor-General for DISTRICT OF ARIZONA,
do hereby certify that the foregoing transcript of the Field Notes, return and approval of the survey
of the mining claim of
SAN XAVIER EXTENSION COPPER COMPANY
known as the CRESTA BLANCA, RED OXIDE NO. 2, and RED OXIDE NO. 3 Lodes
situate inPIMA
Mining District, PIMA County, ARIZONA,
in Section
designated as Survey No, has been correctly copied from the originals on file in
this office; that said Field Notes furnish such an accurate description of said mining claim as will, if
incorporated into a patent, serve fully to identify the premises, and that such reference is made therein
to natural objects or permanent monuments as will perpetuate and fix the locus thereof.
And I further certify that five hundred dollars' worth of labor has been expended or improve- or for each of ments made upon said mining claims by claimant or its grantors, and that said improvements
consist of 10 shafts, 3 cuts, 1 tunnel, and 3/6 of the value of the
main working shaft on the Red Oxide lode, Sur. No. 1758,
total value \$12,120.
nd that no position of said like
nd that no portion of said labor or improvements has been included in the estimate of expenditures
pon any other claim.
I further certify that the plat thereof, filed in the U.S. Land Office at. Phoenix,
Arizona,is correct and in conformity with the foregoing Field Notes.
Frank P. Trott,
United States Surveyor-General forArizona.

## SURVEYOR GENERAL'S CERTIFICATE OF APPROVAL OF FIELD NOTES AND SURVEY OF MINING CLAIM

## DEPARTMENT OF THE INTERIOR OFFICE OF U. S. SURVEYOR GENERAL

	Phoenix,	Arizona,	
		April 30.	, 19?1
I, U. S. Surveyor General for	DISTRICT OF AF	RIZONA,	
do hereby certify that the foregoing ar	nd hereto attached Field Note	s and Return of the	Survey of the
Mining Claim of	***************************************		
SAN XAVIE			
			known as the
CRESTA BLANCA, RED OXIDE	NO. 2, and RED OXI	DE NO. 3 Lode	s,
situate inPI	MA	n	nining district,
PIMA	County,	*	ARIZONA
in Section, To	wnship No. 17 Sa,	, Range No.	12 E.,
G. & SRB & M., designated as Sur	vey No3730		
executed by	H. Stevens	·,	U. S. Mineral
Surveyor, Jamery 5 - 8	, 1	921, under my inst	ructions dated
December 10,	, 192 Q have been critically	examined and the	necessary cor-
rections and explanations made, and th	ne said Field Notes and Retur	n, and the Survey	they describe,
are hereby approved. The certified cop	y of the location certificate fil	led by the applicant	for survey is
on file in this office and a true copy of sa	id certified copy of said location	on certificate is inclu	ded and made
a part of the transcript of the field note	98.		
	Fregul J-	D. Frot	

U. S. Surveyor General for Arizona.

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (942) M.S. 3730

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The Red Oxide No. 3 lode, Mineral Survey No. 3730, located in section 3, Township 17 South, Range 12 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to facilitate a proposed land exchange with ASARCO Incorporated and to clear the record.

The Mineral Survey Plat should be noted as follows:

"Red Oxide No. 3 lode, M.S. 3730 was canceled January 30, 1992, by memo 9605 (942) M.S. 3730, which is now a part of the original field notes."

January 30, 1992 Date

Chief Cadastral Surveyor of Arizona

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT ARIZONA STATE OFFICE

9605 (922-TR)

January 16, 1992

#### Memorandum

To:

Chief, Branch of Cadastral Survey

From:

Deputy State Director, Mineral Resources

Subject: Mining Claim Verification

This is in response to your request for verification of mining claims in sections 3, 4, 5, 10, 14 and 15, T. 12 S., R. 8 E., section 35, T. 16 S., R. 12 E., sections 2 and 11, T. 17 S., R. 12 E., G&SRM. See the attachment for a list of the Survey Numbers, Claim Names, and Case File Serial Numbers (if available) and Status. So that the Mineral Surveys may or may not be canceled, we have checked if all of the lodes were recorded as required under FLPMA and that the annual assessment work has been kept up to date.

Caral Busque

If you have any questions, please contact Tom Reitmeyer at extension 358.

1 Attachment

1 - UNPATENTED CLAIMS (SURVEYED)(2 pp)

### UNPATENTED CLAIMS (SURVEYED)

## TOWNSHIP 12 SOUTH, RANGE 8 EAST Sections 3, 4, 5, 10, 14 and 15

Claim No. and	Name:	Serial Number:	Status:
396 398 496 604 2799 4157 4749	Blue Coat Old Boot Detroit Dolly Varden Equity Mountain Dew May No. 8 May 46 May 47	AMC 48528 AMC 48559 AMC 48560	Not filed under FLPMA 91 assessment on file 91 assessment on file

## TOWNSHIP 16 SOUTH, RANGE 12 EAST Section 35

Claim No. and	Name:	Serial Number:	Status:
4548	Louis No. 13 Lime No. 1 Lime No. 4 Yaqui Algonquin Iriquois Pueblo Acoma Pima Yuma Yavapai Mohave Gila Blackfoot	AMC 24407 AMC 24408 AMC 24409 AMC 24410 AMC 24411 AMC 24412 AMC 24413 AMC 24414 AMC 24415 AMC 24416 AMC 24417 AMC 24418 AMC 24419 AMC 24420	91 assessment on file Closed March 7, 1989 Closed March 7, 1989 91 assessment on file Closed March 7, 1989
	Key	AMC 24421	Closed March 7, 1989
4584	Ute Piute Hopi Comanche	AMC 24403 AMC 24404 AMC 24406 AMC 24405	91 assessment on file 91 assessment on file 91 assessment on file 91 assessment on file
4583	Contact Gypsy Hogle Fraction	AMC 24402 AMC 2440 <u>1</u> AMC 24398	91 assessment on file 91 assessment on file Clased March 7, 1999
	Hogle #1 Bolsa Jupiter No. 2 Fracton 4	AMC 24397 AMC 24399	Closed March 7, 1989 91 assessment on file 91 assessment on file Not filed under FLPMA
3737	Two Boys		Not filed under FLPMA

### TOWNSHIP 17 SOUTH, RANGE 12 EAST Sections 2 and 11

Claim No. a	nd Name: Seria	l Number:	Status:
3726	Elda B.		Not filed under FLPMA
1650	Gen No. 1 San Xavier		Not filed under FLPMA
2294	Vulcan No. 5		Not filed under FLPMA
2237	Prince Rupert AMC 59	922	91 assessment on file
4295	Staple AMC 59	917	91 assessment on file
4583	Jupiter Fraction No. 2		Not filed under FLPMA
4583	Hogle Fraction AMC 24	1398	Closed March 7, 1989
4548	Blackfoot AMC 24	1420	Closed March 7, 1989
3730	Red Oxide No. 3		Not filed under FLPMA